

# ExamsLabs

ExamsLabs

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **Online Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

### What Client's Say

*"I passed today with score 80%. I confirm that it's valid in UK. Focus on "Correct answer" and forget the "Answer X from real test". I had free new questions.*



Sebastian  
★★★★★

*"Questions from this HPE0-S51 dump are 100% valid... not all answers. I passed this exam a few days ago (in France) and got these results.*



Wayne  
★★★★★

<http://www.examslabs.com/>

Latest Study Materials, Valid Dumps - ExamsLabs

**Exam :** 1Z0-878

**Title :** Oracle Solaris 10 System  
Administrator Certified Professional  
Exam, Part II

**Vendors :** Oracle

**Version :** DEMO

NO.1 You are troubleshooting an LDAP problem for a client. Which command can be used to provide extensive status information for troubleshooting?

- A. Idaplist
- B. Idapclient
- C. Idap\_cachemgr
- D. Idapstatus

Answer: C

NO.2 You are configuring a jumpstart server, as part of that configuration you need to add some files after the install completes. Select from the list the file that will contain the name of a script that will run upon completion of the jumpstart installation.

- A. rules file
- B. profile file
- C. sysidcfg file
- D. postconfig file

Answer: C

NO.3 Which two commands list the profiles assigned to user fred? (Choose two.)

- A. profiles fred
- B. profiles -l fred
- C. profiles -list fred
- D. grep -w fred /etc/security/prof\_attr
- E. grep -w fred /etc/security/policy.conf

Answer: AB

NO.4 Select the answer that best describes the four LDAP update operations?

- A. Add, Delete, Create, Remove
- B. Create, Delete, Modify, Rename
- C. Add, Delete, Modify, Create
- D. Create, Delete, Bind, Modify

Answer: B

NO.5 Which of the following statements concerning Live Upgrade is TRUE?

- A. You could use vi to modify the /etc/hosts file in a non-active BE
- B. The /usr file system can be shared between two BEs

- C. You can NOT use the pkgadd command to add a package to a non-active BE
- D. You can NOT create a empty BE
- E. The BE can only be modified using the luupgrade command

Answer: A

NO.6 You have been assigned a task to create in new profile file for the jumpstart server. Which profile keyword will you use to define the software packages that will be installed on the client?

- A. install\_type
- B. cluster
- C. system\_type
- D. partitioning

Answer: B

NO.7 An objectclass entry is best associated with which LDAP model?

- A. Naming Model
- B. Information Model
- C. Security Model
- D. Functional Model

Answer: B

NO.8 You need to update a existing BE with the files from you currently running BE so that you can upgrade the existing BE. Which command will achieve this?

- A. lucreate
- B. lumake
- C. lucurr
- D. luupgrade

Answer: B

NO.9 You are troubleshooting a jumpstart server problem. You need to confirm the install server that the client is using. Which file in the list provides the location of the install server to the client?

- A. bootparams
- B. ethers
- C. add\_install\_client
- D. add\_install\_server
- E. C0A80101.SUN4U

Answer: A

NO.10 Click the Exhibit button.

```
# ./add_install_client -s server1:/jumpstart/OS -c server2:/jumpstart/config -p  
server3:/jumpstart/config  
client1 sun4u
```

Your colleague is configuring a client for installation with jumpstart. They have entered the command

shown in the exhibit. Examine the exhibit, on which server will the profile file be found?

- A. The profile file server is not defined
- B. server1 in the /jumpstart/OS directory
- C. server2 in the /jumpstart/config directory
- D. server3 in the /jumpstart/config directory

Answer: C

NO.11 Click the Exhibit button.

```
# luupgrade -t -n newbe -s /opt/local/tmp
```

You are observing a junior administrator. They have just entered the command shown in the exhibit.

Examine the exhibit and select the answer that best describes the purpose of the command.

- A. upgrade the newbe environment with a flash archive located in /opt/local/tmp
- B. upgrade the newbe environment with a OS image located in /opt/local/tmp
- C. temporarily mount the file system /opt/local/tmp in the newbe environment 6 / 58
- D. patch the newbe environment with patches located in /opt/local/tmp

Answer: D

NO.12 if your system uses a large number of mirrors, make sure that you have an adequate number of state

databases. If you create too few state database replicas, performance could be negatively impacted.

What is the recommended number of state database replicas for mirrored volumes?

- A. At least two state database replicas per RAID-1 volume.
- B. At least three state database replicas per RAID-1 volume.
- C. One state database replicas per RAID-1 volume.
- D. At least five state database replicas per RAID-1 volume.

Answer: A

NO.13 Swap space in Solaris 10 OS is managed by the swapfs file system.

Which two statements accurately describe swapfs? (Choose two.)

- A. The swap file system consists only of swap slices and swap files.
- B. The swap file system might consist of physical RAM, swap slices, and swap files.
- C. The swap slices and swap files managed by swapfs need to be twice as large as physical RAM on the system.
- D. The swapfs provides virtual swap space addresses, thus decreasing the need for physical swap on systems with large, available memory.
- E. The swapfs provides real physical swap space addresses in response to swap space reservation requests.

Answer: BD

NO.14 Which two profile keywords are required to install a differential flash archive? (choose two)

- A. install\_type
- B. archive\_location
- C. flash\_update
- D. flash\_install
- E. local\_customization

Answer: AB

NO.15 Which of the following is a container that holds entries for a specific information type?

- A. LDIF
- B. DIT
- C. SSD
- D. DSEE

Answer: B

NO.16 Which answer best describes the LDAP bind operation?

- A. Create a LDAP search operations and authenticates the operation
- B. Create a new directory entry, provides a DN and authenticates
- C. Creates a RDN entry in the Server for a directory and authenticates
- D. Authenticates a client to the server, provides a DN

Answer: D

NO.17 You are configuring a PXE boot jumpstart server and the add\_install\_client scripts has returned two macros, BootSrvA and BootFile that must be configured in DHCP. Select the two commands that can be used to configure the BootSrvA and BootFile DHCP macros.

- A. dhtadm or dhcptab
- B. dhcpadm or dhcpagent
- C. dhcpmgr or dhcpinfo
- D. dhcpmgr or dhtadm

Answer: D

NO.18 The system administrator has placed several entries in the direct map of a Solaris 10 OS machine that is configured to use local files..

Which three features are direct map entries.? (Choose three.)

- A. Direct maps can always be browsed.
- B. Direct maps specify relative paths only.
- C. Direct maps specify the absolute path of the mount point.
- D. A /- entry in the master map defines a mount point for direct maps.
- E. A master map that is a local file can only have one direct map entry.
- F. The directory specified in the map entry can be mounted from a comma-separated list of servers.

Answer: CDF

NO.19 How many data sources can be specified in the Name Service Switch file for each of the data types?(Choose two.)

- A. only one
- B. a minimum of two
- C. a minimum of one
- D. a maximum of four
- E. a maximum depending on the data type
- F. a maximum depending on the system type

Answer: CE

NO.20 Which two statements about the relationship between NIS master servers and NIS slave servers are true? (Choose two.)

- A. Load balancing capabilities within NIS can be achieved by configuring at least one slave server on each subnet.
- B. Clients cannot bind across subnets, therefore you must provide a slave server on each subnet bound to a master server.
- C. Only one master server can be configured, but it can support multiple slave servers and clients.
- D. There can be an unlimited number of slave servers and clients on a subnet, but there must be a master server on each subnet.

Answer: AC