

ExamsLabs

ExamsLabs

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **Online Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

What Client's Say

"I passed today with score 80%. I confirm that it's valid in UK. Focus on "Correct answer" and forget the "Answer X from real test". I had free new questions.



Sebastian
★★★★★

"Questions from this HPE0-S51 dump are 100% valid... not all answers. I passed this exam a few days ago (in France) and got these results.



Wayne
★★★★★

<http://www.examslabs.com/>

Latest Study Materials, Valid Dumps - ExamsLabs

Exam : 9A0-701

Title : ColdFusion MX Developer Exam

Vendors : Adobe

Version : DEMO

NO.1 How does the WHERE clause affect the SELECT statement?
SELECT * FROM Employee WHERE 1=1

- A. an error occurs
- B. returns the first row
- C. all rows are returned
- D. returns the row with the primary key = 1

Answer: C

NO.2 Given the query, <cfquery name="qNames" datasource="dsn">SELECT s_fname, s_lnameFROM

student </cfquery> What is the correct FROM clause in the query of queries? <cfquery dbtype="query"

name="qNamesOrdered"> SELECT s_fname, s_lnameFROM ????ORDER BY s_lname </cfquery>

- A. FROM query
- B. FROM student
- C. FROM qNames
- D. There is no correct FROM clause because, an error would result since no datasource attribute is used in the second query.

Answer: C

NO.3 What type of data can be queried using query of queries? (Choose three)

- A. WDDX data
- B. LDAP listings
- C. POP messages
- D. XML documents
- E. Database queries

Answer: BCE

NO.4 What is the output of the loop? <cfset employees = StructNew()> <cfset val = StructInsert(employees,

"1 ", "Pedro ")> <cfset val = StructInsert(employees, "Rocky", "Pet ")> <cfloop collection = "#employees#"

item = "key"> <cfoutput>#employees[key]#</cfoutput> </cfloop>

- A. 0 1
- B. 1 2
- C. 1 Rocky

D. Pedro Pet

Answer: D

NO.5 What statement is true about the colorlist attribute of the <cfchartseries> tag?

- A. can refer to a CSS class
- B. accepts any valid HTML color format
- C. defaults to the colors red, green and blue
- D. contains a list of alternate colors in case default color is not supported

Answer: B

NO.6 What is the purpose of the <cfdump> tag?

- A. display variables for debugging purposes
- B. delete complex variables from an application
- C. display server log information quickly in the browser
- D. email all error messages generated by ColdFusion to the administrator

Answer:A

NO.7 What <cfquery> attributes are used in the implementation of query-based caching?

(Choose two)

- A. cachedtime
- B. cachedafter
- C. cachedquery
- D. cachedwithin
- E. querycached

Answer: BD

NO.8 Analyze the following code:<cfset stState=StructNew()><cfset stState.name="CO">

<cfset

stState.capital="Denver"> <!--- copy existing structure into new structure ---> <cfset

stNewState=stState>

<!--- set values in the new structure ---> <cfset stNewState.name="MA"> <cfset

stNewState.capital="Boston"> The final values for both structures are MA, Boston. Why is this the case?

- A. Structures can never be copied.
- B. Structures are copied by value.
- C. Structures are copied by reference.
- D. Structures must be referenced by prefix.

Answer: C

NO.9 What WHERE clause is equivalent to the WHERE clause on the SELECT statement below?
SELECT *

FROM Customer WHERE lastname IN ('Smith', 'Jones')

- A. WHERE lastname = 'Smith' OR 'Jones'
- B. WHERE lastname = 'Smith' AND lastname = 'Jones'
- C. WHERE lastname BETWEEN 'Smith' AND 'Jones'
- D. WHERE lastname = 'Smith' OR lastname = 'Jones'

Answer: D

NO.10 What is used to call a method of a ColdFusion component?

- A. <cfinvoke>
- B. <cffunction>
- C. createObject()
- D. <cfcomponent>

Answer:A

This document was created with Win2PDF available at <http://www.win2pdf.com>.

The unregistered version of Win2PDF is for evaluation or non-commercial use only.

This page will not be added after purchasing Win2PDF.

NO.11 An Employees table contains 10 records and a Departments table contains 5 records.

Given the code,

how many records will the query produce as a result set? <cfquery name=qGetEmp
datasource=dsn>

SELECT Employees.FirstName, Employees.LastName, Departments.DepartmentName
FROM

Employees, Departments ORDER BY Departments.DepartmentName </cfquery>

- A. 0 records.
- B. 5 records.
- C. 10 records.
- D. 50 records.

Answer: D

NO.12 What tag statement correctly concatenates two variable strings?

- A. <cfset fullname=firstname, lastname>
- B. <cfset fullname=#firstname# #lastname#>
- C. <cfset fullname=firstname & " " & lastname>
- D. <cfset fullname=firstname + " " + lastname>

Answer: C

NO.13 What special file can run automatically after the requested page is processed?

- A. Index.cfm
- B. Default.cfm
- C. Application.cfm
- D. OnRequestEnd.cfm

Answer: D

NO.14 In many development environments URL or form variables in a dynamic query can append malicious

SQL statements to existing queries. What ColdFusion tag is needed to solve this problem?

- A. <cfreturn>
- B. <cfparameter>
- C. <cfqueryparam>
- D. <cfprocessingdirective>

Answer: C

NO.15 What statement correctly assigns a variable named fname the value from the s_fname column of the

query objectqName at the index location?<cfset colname="s_fname"><cfset index=2>

- A. <cfset fname =qNames."#colname#[#index#]">
- B. <cfset fname =qNames.#colname#[#index#]>
- C. <cfset fname =Evaluate("qNames.#colname#[#index#]")>
- D. <cfset fname =Evaluate(qNames.#colname#[#index#])>

Answer: C

NO.16 What SQL clause is required when using a HAVING clause?

- A. WHERE
- B. ORDER BY
- C. GROUP BY
- D. INSERT INTO

Answer: C

NO.17 What types of variables must always be prefixed when used? (Choose three)

- A. URL
- B. Form
- C. WDDX

- D. Session
- E. Request
- F. Application

Answer: DEF

NO.18 What clauses are valid for an SQL UPDATE statement? (Choose two)

- A. SET
- B. INTO
- C. WHERE
- D. VALUES

Answer:AC

NO.19 Consider an HTML form created with the following text box.<input type="text" name="comment"

size="30" maxlength="50">Choose the conditional statement that can be used on the action page to

determine if the form field was submitted without content.

- A. <cfif form.comment IS NULL>
- B. <cfif IsEmpty(form.comment)>
- C. <cfif NOT Len(Trim(form.comment))>
- D. <cfif NOT IsDefined(form.comment)>

Answer: C

NO.20 What statement best describes a primary key?

- A. A single column that uniquely identifies a row.
- B. One or more columns that uniquely identifies a row.
- C. A column that references another column in a master table.
- D. A column that either uniquely identifies a row or has no value.

Answer: B