

ExamsLabs

ExamsLabs

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **Online Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

What Client's Say

"I passed today with score 80%. I confirm that it's valid in UK. Focus on "Correct answer" and forget the "Answer X from real test". I had free new questions.



Sebastian
★★★★★

"Questions from this HPE0-S51 dump are 100% valid... not all answers. I passed this exam a few days ago (in France) and got these results.



Wayne
★★★★★

<http://www.examslabs.com/>

Latest Study Materials, Valid Dumps - ExamsLabs

Exam : A2050-724

Title : Assessment: IBM WebSphere
Commerce V7.0, System
Administration

Vendors : IBM

Version : DEMO

NO.1 An administrator needs to convert an existing WebSphere Commerce instance into a federated environment. How does the administrator federate the WebSphere Commerce application server into the deployment manager cell?

- A. Run `WC_installdir/bin/config_ant.sh -DinstanceName=instance_name ReconfigureCell`
- B. Run `WC_profileddir/bin/addNode.sh deployment_manager_host_name SOAP_port -includeapps.`
- C. Run `WAS_installdir/bin/configureweb_server_name.sh -user configAdminUser -password configAdminPassword.`
- D. In WebSphere Application Server Network Deployment Administration Console > Servers > WebServers, select webserver1 and click Generate Plug-in.

Answer: B

NO.2 Initial troubleshooting has indicated the initial heap size needs to be adjusted. For performance analysis, how should the administrator set the heap sizes?

- A. The initial and maximum heap sizes should be equal.
- B. The initial heap size is less than maximum heap size.
- C. The initial heap size 128MB and maximum heap size 256MB.
- D. The initial heap size 64MB and the maximum heap size 512MB

Answer: A

NO.3 An administrator notices database update errors during WebSphere Commerce fix pack installation.

To troubleshoot the issue, the administrator needs to check:

- A. `db2diag.log`
- B. `Jdbcerr.log`
- C. `updatelog.txt`
- D. `updatedb-instance.log`

Answer: D

NO.4 Users are complaining that the online store is slow. An administrator investigates and concludes there is a performance hit due to secondary log usage. The following information is gathered from a snapshot:

Maximum secondary log space used (Bytes) = 2048 Secondary logs allocated currently = 2

The following

information is gathered from the database configuration: Log file size (4KB) (LOGFILSIZ) = 1000 Number

of primary log files (LOGPRIMARY) = 4 Number of secondary log files (LOGSECOND) = 3

Which

command will MOST likely improve the performance?

- A. db2 update db cfg for mall using LOGSECOND 2
- B. db2 update db cfg for mall using LOGSECOND 8
- C. db2 update db cfg for mall using LOGPRIMARY 2
- D. db2 update db cfg for mall using LOGPRIMARY 8

Answer: D

NO.5 The WebSphere Commerce Performance Monitoring Infrastructure (PMI) module has been disabled.

The administrator can enable the WebSphere Commerce PMI module from the:

- A. Tivoli Performance Viewer
- B. PMI > server1 > Runtime.
- C. WebSphere Commerce configuration file.
- D. WebSphere Commerce Administrative Console > Monitoring

Answer: C

NO.6 An administrator needs to delete all processed sale transactions that are older than 90 days. Which

command does the administrator need to use on the demo instance?

- A. dbclean -object order -type completed -instancexml
WebSphere/Commerce/instances/demo/xml/demo.xml -days 90
- B. dbclean -object order -type obsolete -instancexml
WebSphere/Commerce/instances/demo/xml/demo.xml -days 90
- C. dbclean -object catentry -type completed -instancexml
WebSphere/Commerce/instances/demo/xml/demo.xml -days 90
- D. dbclean -object catentry -type obsolete -instancexml
WebSphere/Commerce/instances/demo/xml/demo.xml -days 90

Answer: A

NO.7 An administrator needs to install an interim fix to the WebSphere Commerce application which is in a

clustered environment. The administrator wants the application to be available for requests during the

update. What does the administrator need to do?

- A. Roll out the update.
- B. Perform a silent update with response file.
- C. Update the single deployment manager node.
- D. Perform an interactive installation using installation manager.

Answer: A

NO.8 An administrator needs a store organization structure which contains a Root organization, Default organization, Seller organization, and B2C organization. The administrator can obtain this organization

structure by publishing a:

- A. supply chain store.
- B. demand chain store.
- C. extended sites store.
- D. consumer direct store.

Answer: D

NO.9 The administrator needs to protect access to system resources such as file I/O and sockets. How does the administrator accomplish this?

- A. Enable Java 2 security.
- B. Enable application security.
- C. Enable administrative security.
- D. Enable administrative and application security.

Answer: A

NO.10 If error notification is enabled, what is the source of the notifications?

- A. ECTrace
- B. ECMessage
- C. Log Analyzer
- D. Logging Toolkit

Answer: B

NO.11 An administrator needs to configure attributes that are synchronized between the LDAP server and the

IBM WebSphere Commerce database. To do so, the administrator needs to edit:

- A. vmmTasks.xml

- B. Idapentry.xml
- C. enableldap.xml
- D. LdapConfig.properties

Answer: B

NO.12 An administrator just installed WebSphere Commerce and published a B2C store. However, the performance of the store is poor. How must the administrator customize the default installation

configuration to improve the site performance?

- A. Enable disk offload.
- B. Enable Dynamic caching.
- C. Increase the number of cache entries.
- D. Update cachespec.xml for the store.

Answer: D

NO.13 A sports retailer interested in IBM WebSphere Commerce has a large customer service department.

They are interested in using IBM Sales Center for IBM WebSphere Commerce. Which editions of IBM

WebSphere Commerce allow them to do so?

- A. Enterprise and Professional
- B. Enterprise and Developer Express
- C. Express and Professional
- D. Express and Developer Professional

Answer: A

NO.14 An administrator is configuring JVM heap settings for WebSphere Commerce in a 64 bit environment.

As a starting value, the administrator plans to set the following: Minimum Nursery size: 512 MB Maximum

nursery size: 1024 MB What JVM parameters does the administrator need to add, to enable these values?

- A. -Xlp512M -Xlp1024M
- B. -Xmn512M -Xmx1024M
- C. -Xmns512m -Xmnyx1024m
- D. -Xmnys512MB -Xmnyx1024MB

Answer: C

NO.15 An administrator is notified that a site-level scheduled job failed. The administrator queries the SCHACTIVE table and sees that the SCSSTATE column for the job has a status of RF. What does the administrator need to do?

- A. Restart the job.
- B. Wait for the job status to be updated.
- C. Verify that the JVM process in the SCSQUEUE column is running.
- D. Validate the check task command assigned to the scheduled job exists.

Answer: B

NO.16 An administrator is loading access control policy data. The file the administrator has updated is defaultAccessControlPolicies.xml. The administrator notices after loading the access control policy that the main access control policy is missing. Which utility does the administrator need to run?

- A. acpload
- B. dataload
- C. acugload
- D. acpnlsload

Answer: A

NO.17 An administrator is creating several user accounts with passwords. What hashing scheme is used to protect the contents of the password?

- A. AHS-2
- B. PCI-3
- C. RPC-1
- D. SHA-1

Answer: D

NO.18 An administrator is configuring a company's IBM WebSphere Commerce site to implement the

Payment Card Industry (PCI) Data Security Standard (DSS) requirement to protect cardholder data. A

decision has been made to prevent storing of the card security code in the database. What action does

the administrator need to take?

- A. Set neverPersist to true in PaymentSystemPluginMapping.xml.
- B. Set systemEditable to true in PaymentSystemPluginMapping.xml.
- C. Set systemEditable to true in PaymentMethodConfigurations.xml.
- D. Set removeAfterApproval to true in PaymentSystemPluginMapping.xml.

Answer: A

NO.19 The IBM WebSphere Commerce site is running on a single tier. What task should the administrator

have performed to prevent a total database failure?

- A. Reduce database traffic.
- B. Setup Database Replication
- C. Setup Staging server to copy the production data.
- D. Federate WebSphere Commerce instance into WebSphere Application Server Network Deployment.

Answer: B

NO.20 The IBM WebSphere Commerce instance has business audit functionality enabled.

What does the

administrator need to do to view a business audit report?

- A. In the IBM WebSphere Commerce Accelerator, select Store > Monitoring > Business Audit.
- B. In the IBM WebSphere Commerce Accelerator, select Store > Operations > Operational Reports.
- C. In the IBM WebSphere Commerce Administration Console, select Site > Monitoring > Business Audit.
- D. In the IBM WebSphere Commerce Administration Console, select Store > Monitoring > Business Audit.

Answer: D