

ExamsLabs

ExamsLabs

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **Online Engine** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

What Client's Say

"I passed today with score 80%. I confirm that it's valid in UK. Focus on "Correct answer" and forget the "Answer X from real test". I had free new questions.



Sebastian
★★★★★

"Questions from this HPE0-S51 dump are 100% valid... not all answers. I passed this exam a few days ago (in France) and got these results.



Wayne
★★★★★

<http://www.examslabs.com/>

Latest Study Materials, Valid Dumps - ExamsLabs

Exam : BCP-420

Title : Maintaining BlackBerry Enterprise Server/Microsoft Exchange

Vendors : BlackBerry

Version : DEMO

NO.1 All BlackBerry device users are reporting that email messages are delayed by 10-20 minutes to their BlackBerry devices. Which three of the following should the system administrator check to resolve the problem? (Choose three.)

- A. That there is currently no maintenance being done on the Microsoft SQL Server that hosts the BlackBerry Configuration Database
- B. That there is currently no maintenance being done on any of the mail servers
- C. How long it takes PIN messages to be delivered to users
- D. Where the delay could be using the message receipt confirmation tool
- E. Where the delay could be using the message flow tool

Answer: B,C,E

NO.2 What could block an email message that has been delivered to the user mailbox from reaching the BlackBerry device? (Choose one.) What could block an email message that has been delivered to the user mailbox from reaching the BlackBerry device? (Choose one.)

- A. Reconciliation settings
- B. SPAM blocker
- C. Anti-virus quarantine
- D. Email message filters
- E. Synchronization settings

Answer: D

NO.3 The BlackBerry Monitoring Service can send notifications using which three of the following methods? (Choose three.)

- A. Phone (VoIP)
- B. Email message
- C. PIN message
- D. SMS message
- E. Instant Messaging

Answer: B,C,D

NO.4 If the BlackBerry Enterprise Server is having a problem communicating with a BlackBerry device user

mailbox, which is the first BlackBerryIf the BlackBerry Enterprise Server is having a problem communicating with a BlackBerry device user? mailbox, which is the first BlackBerry Enterprise Server

component the system administrator should focus on when troubleshooting the issue?

(Choose one.)

- A. BlackBerryMailStore Service
- B. BlackBerry Dispatcher Service
- C. Microsoft Outlook
- D. BlackBerry Messaging Agent
- E. BlackBerry Router Service

Answer: D

NO.5 Which of the following default host and port combinations will a system administrator need to browse

to in order to configure the BlackBerry Monitoring Service? (Choose one.)

- A. https://<servername>:8443/webconsole/app
- B. https://<servername>/webconsole/app
- C. http://<servername>/webconsole/app
- D. http://<servername>:8080/webconsole/app
- E. https://<servername>:7443/webconsole/app

Answer: A

NO.6 A BlackBerry device has gone missing. Assuming that the BlackBerry device radio is on, which two of

the following administrative actions can be carried out to ensure that none of the data can be read on the

BlackBerry device? (Choose two.)

- A. Specify a new BlackBerry device and cancel the wireless service
- B. Remove the BlackBerry device user account from the BlackBerry Administration Service

Remove the BlackBerry device user? account from the BlackBerry Administration Service

- C. Remove the BlackBerry device association and lock the BlackBerry device
- D. Disable and erase data from the BlackBerry device
- E. Specify a new BlackBerry device password and lock the BlackBerry device

Answer: D,E

NO.7 If the BlackBerry Synchronization Service is stopped, what impact would this have on a BlackBerry

device user who is trying to perform a wireless enterprise activation? (Choose one.)

- A. Email messaging would be activated, the calendar would wirelessly synchronize, and policies would be applied to the BlackBerry device
- B. Email messaging would be activated, policies would be applied to the BlackBerry device, and all organizer data items would synchronize wirelessly
- C. Policies would be applied however email messaging would not be activated
- D. The user would not be able to begin the wireless activation unless the BlackBerry Synchronization Service is started
- E. Email messaging would be activated, policies would be applied to the BlackBerry device, and address book items would be wirelessly synchronized

Answer: A

NO.8 Which port is used for BlackBerry WLAN as well as BlackBerry Serial Bypass?

(Choose one.)

- A. 3101
- B. 3201
- C. 3501
- D. 4101
- E. 4201

Answer: D

NO.9 At which minimum level should a system administrator set a BlackBerry Enterprise Server service or

component log when investigating an issue? (Choose one.)

- A. 1 - Error
- B. 2 - Warning
- C. 3 - Informational
- D. 4 ?Debug
- E. 5 ?Unknown

Answer: D

NO.10 Which three of the following options are available in the BlackBerry Administration Service for enabling

high availability? (Choose three.)

- A. Turn on Automatic Failover

- B. Turn on Pooling
- C. Turn on High Availability
- D. Manual Failover
- E. Turn on Automatic Connections Failover

Answer: A,D,E

NO.11 A BlackBerry device user reports that when trying to browse any website from the BlackBerry device, the following error message is displayed: "HTTP 403, Forbidden." Which two of the following options should be used when troubleshooting the error? (Choose two.)

- A. Verify Push Access Control is allowed for the user and request the user clear the cache on the browser
- B. Verify Pull Access Control and/or Proxy mappings are configured correctly
- C. Review the BlackBerry MDS Connection Service (MDAT) logs to verify if more than one user is affected and ensure the firewall/proxy is not blocking the user from browsing
- D. Restart the BlackBerry MDS Connection Service and BlackBerry Policy Service and then have the user try browsing again
- E. Create a blank IT Policy and apply it to the user and then have the user try again

Answer: B,C

NO.12 Under which of the following conditions will an automatic failover from the active to the standby instance of the BlackBerry Enterprise Server occur? (Choose one.)

- A. All items above the failover threshold of the active instance of the BlackBerry Enterprise Server are unhealthy and all items above the promotion threshold of the standby instance of the BlackBerry Enterprise Server are unhealthy
- B. All items above the failover threshold of the active instance of the BlackBerry Enterprise Server are healthy and at least one item above the promotion threshold of the standby instance of the BlackBerry Enterprise Server is unhealthy
- C. All items above the promotion threshold of the active instance of the BlackBerry Enterprise Server are

healthy and at least one item above the failover threshold of the standby instance of the BlackBerry

Enterprise Server is unhealthy

D. At least one item above the promotion threshold of the active instance of the BlackBerry Enterprise

Server is unhealthy and all items above the failover threshold of the standby instance of the BlackBerry

Enterprise Server are healthy

E. At least one item above the failover threshold of the active instance of the BlackBerry Enterprise Server is unhealthy and all items above the promotion threshold of the standby instance of the BlackBerry Enterprise Server are healthy

Answer: E

NO.13 Which three of the following services should be set to start manually on the standby instance of a

BlackBerry Enterprise Server? (Choose three.)

A. BlackBerryMailStore Service

B. BlackBerry Synchronization Service

C. BlackBerry Policy Service

D. BlackBerry Router Service

E. BlackBerry Administration Service

F. BlackBerry Dispatcher Service

Answer: A,B,C

NO.14 Which two of the following options explain how active and standby instances of the BlackBerry

Enterprise Server are able to connect to the BlackBerry Infrastructure when both instances of the

BlackBerry Enterprise Server are running? (Choose two.)

A. The active instance of the BlackBerry Enterprise Server will initiate a tentative connection to the

BlackBerry Infrastructure.

B. The active and standby instances of the BlackBerry Enterprise Server will both establish a connection

to the BlackBerry Infrastructure.

C. The standby instance of the BlackBerry Enterprise Server will establish a connection to the BlackBerry

Infrastructure only when the active instance of the BlackBerry Enterprise Server has failed.

- D. The standby instance of the BlackBerry Enterprise Server will initiate a tentative connection to the BlackBerry Infrastructure.
- E. The standby instance of the BlackBerry Enterprise Server relies on the active instance of the BlackBerry Enterprise Server's connection to the BlackBerry Infrastructure.

Answer: B,D

NO.15 Which IT administration option could a system administrator use to remotely change the password on a BlackBerry device user's BlackBerry device? (Choose one.)

- A. Specify Activation Password
- B. Clear Activation Password
- C. Resend IT Policy to Device
- D. Specify New Password and Lock Device
- E. You can remotely set the BlackBerry password

Answer: B

NO.16 Which log file contains all the information regarding wireless calendar and mailbox application interactions with the BlackBerry Enterprise Server? (Choose one.)

- A. BlackBerry Synchronization (SYNC)
- B. BlackBerry Dispatcher (DISP)
- C. BlackBerry Messaging Agent (MAGT)
- D. Exchange Connector (CEXC)
- E. BlackBerryMailStore Service (MAST)

Answer: C

NO.17 Which three of the following tools from the BlackBerry Resource Kit can a system administrator use to help diagnose an email message delay issue for one or more BlackBerry device users? (Choose three.)

- A. BlackBerry Message Flow Reporting (Messageflow.exe)
- B. Message Receipt Confirmation (Messageconfirmconfig.exe)
- C. BlackBerry Thread Analyzer (NoResponsecheck.exe)
- D. BlackBerry Usage Monitoring Tool (OutOfCoverage.exe)
- E. BlackBerry Enterprise Activation Status Reporting (eastatus.exe)

Answer: A,C,D

NO.18 After purchasing a used BlackBerry 6230 device, a BlackBerry device user reports that the BlackBerry device does not display the option to begin the activation process after the system administrator has configured the user for wireless enterprise activation. What should the system administrator do to resolve this issue? (Choose one.)

- A. Have the user perform a security wipe
- B. Have the user delete and then restore the Desktop [SYNC] service book
- C. BlackBerry 6230 devices cannot be wirelessly activated, the user will have to get a new BlackBerry device
- D. Verify that the BlackBerry device is running BlackBerry Device Software 4.0 or later
- E. Integrate the email account on the BlackBerry Internet Service

Answer: D

NO.19 If the BlackBerry Policy Service were stopped, what impact would this have on a BlackBerry device user who is trying to perform a wireless enterprise activation? (Choose one.)

- A. Email messaging would be activated, the calendar and all organizer data items would be synchronized
- B. Email messaging would be activated, the calendar would be wirelessly synchronized, and policies would be applied
- C. The activation would not begin because the policy cannot be applied
- D. Email messaging would be activated, the calendar would not be synchronized, and policies would not be applied until the user connects their BlackBerry device to their computer
- E. The activation would not have begun because the activation email message did not arrive in the user inbox.

Answer: A

NO.20 Which of the following is the first step that needs to be performed when attempting to assign a BlackBerry device to an administrative user? (Choose one.)

- A. Enable the user as a BlackBerry device user
- B. Disable the user as an Administrative user

- C. Select the messaging server and email address that should be associated to the Administrator account
- D. Choose the BlackBerry PIN that should be assigned to the Administrator account
- E. Choose the BlackBerry Enterprise Server that should be assigned to the Administrator account

Answer: A